----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------

	- POPULATIO	N ESTIMATES	3	CANCEF	R INCIDEN	ICE	LOCAL PUBLIC H	IEALTH	
				1					Per
Total 1	.999 Popula	tion Fat	35 050	(Cancer incid	lanca ic	for 1998)	Activities Reported	Number	
Dorge	ent Female	CIOII ESC	55,050	Cancer incre	ience is	101 1990)	Activities Reported	Number	10,000
l berce	iic remaie		30.0	 Dominana Cita		Mumban	Dublic Health Numeine		ļ
Daniel a b			21	Primary Site		Number	Public Health Nursing	1 014	200
	ion per sq	uare mile				4.2	Total clients Total visits	1,014	290
	in state		46	Breast		43	Total visits	1,379	394
	nighest pop			Cervical		13 39 42	Visits: Reason for		
72=1	owest popu	lation dens	sity.)	Colorectal		39	Gen hlth promotion	370	106
				Trachea, Bronch	ius, Lung	42	Gen hlth promotion Infant/child hlth	144	41
Age	Female	Male					Infectious & parasitic	2	1
0-14	2,930	3,080	6,010	Prostate Other sites Total		99	Circulatory Prenatal Postpartum	32	9
15-19	1,170	1,240	2,400	Total		276	Prenatal	11	3
20-24	830	1,240 900	1,730				Postpartum	150	43
25-29	690	770	1,460	LONG-	TERM CAR	E (
30-34	690 850	770 820	1,660			_	WIC Participants	1.219	348
35-39	1,310	1,300	2 610	Community Option	a and Ma	Wairor		1,210	310
40-44		1,510	2,610 2,900	Programs	is and MA	Matver	Clinic Visits	12 752	2 022
		1,510	Z,900 E 100		al	G	T	13,733	3,934
45-54	2,560	2,560	5,120	<u>#</u>	CITERES	Costs	Immunization	9,199	2,030
55-64	2,330	2,180	4,510	COP MA Waivers *	149	\$814,385	Blood pressure	436	125
65-74	1,830	1,790	3,620 2,210	MA Waivers *					ļ
75-84	1,300	910 250	2,210	CIPLA	25	\$1,379,406	Environmental Contacts		ļ
	550	250	800	CIP1B	187	\$6,807,279	Env hazards Public health nuisance		.
Total	17,730	17,310	35,050	CIP2	10	\$111,548	Public health nuisance		.
				MA Waivers * CIP1A CIP1B CIP2 COP-W	206	\$1,906,816			
Age	Female 3,620	Male	Total	CSLA Brain Inj Total COP/Wvrs		\$0			Ì
0-17	3,620	3,810	7,420	Brain Inj	3	\$151,380			ĺ
18-44	5,550	5,810	11,350	Total COP/Wyrs	469	\$11,170,813			
	4,890	4,740	11,350 9,630	,		, , , , , , ,			i
		2,950	6 630	\$94 473 ∩f t	he above	Waiver costs	Health Education		1
	17,730			were paid as 1			Community sessions	104	30
IJCCai	17,750	17,310	33,030	using COP fund			Community attendance	1 500	457
/ Dorrowtz	atimataa	for 100E c		not included i			Cabasi assaisms	1,390	19
	estimates			not included i	n above	COP COSES.	School sessions School attendance	0.00	201
	ed in the 1						School attendance	982	281
	statistic		updated	* Waiver costs r					ļ
after t	he 2000 Ce	nsus.)		include federa	ıl fundin	g.	Staffing - FTEs		
							Total staff Administrators	16	4.5
	EMPL								0.3
Average	wage for j	obs covered	i	Home Health Agen Patients	cies	2	Public health nurses	6	1.7
by Unemp	oloyment Co	mpensation	\$23,610	Patients		699	Public health aides		
Note: Av	erage wage	is based o	n place '	Patients per 10	gog 000,	. 199	Environmental specialis	ts 1	0.3
	work, not			,		(_		
	, , , , , ,			Nursing Homes		4			
Labor Fo	orce Estima	tes Annua	al Average	Licensed beds		4 \ 453	LOCAL PUBLIC HEAL	דרואוז אין	NG
Civilia	n labor fo	rce	20 128	Licensed beds Occupancy rate		93 2%	(funding data not a		
Numbe	ar employed		19 253	Residents on 12	/31/98	424	(Tunding data not a	a valtabl	~ <i>,</i>
NT:mbo	r unomployed	od	17,433	Dogidonta agad	, J _± , J ₀	dor I			
INUILIDE TT	er miembrok	c u	0/D 1/20:	Residents on 12 Residents aged per 1,000 pop	02 OF OT	ης			
l one	mployment ra	aue 	4.36	per 1,000 pop	ulation	40			I

TOTAL LIVE BIRTHS		313	Birth Order	Births	Percent	Marital	Status		
			First	119	38	of Moth	er	Births	Percent
Crude Live Birth Rate	2	8.9	Second	106	34	Married		231	74
General Fertility Rat	e	50.2	Third	62	20	Not mar	ried	82	26
-			Fourth or higher	26	8	Unknown		0	0
Live births with repo	rted		Unknown	0	0				
congenital anomalies		6 . %				Educati	on		
			First Prenatal			of Moth		Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent		ary or less		0
Vaginal after			1st trimester	275	88		ah school	24	8
previous cesarean	5	2	2nd trimester	31	10	High sc		120	38
Forceps	3	1	3rd trimester	5	2	Some co		100	32
Other vaginal	235	75	No visits	1	<.5		graduate		22
Primary cesarean	41	13	Unknown	1	<.5	Unknown		0	0
Repeat cesarean	29	9	OTHERTOWIT	т	`	OTIVITOWII		U	J
Nepeat Cesarean Other or unknown	0	0	Number of Prenata	1		Smolrina	Status		
Oction Of MIKITOMII	U	U	Care visits	Births	Percent	of Moth		Births	Percent
Birth Weight	Births	Percent	No visits	1	<.5	Smoker	er	81	26
<1,500 qm	4	1.3	1-4 visits	5	2	Nonsmok	ar	232	74
1,500-2,499 gm	17	5.4	5-9 visits	41	13	Unknown		0	74
2,500+ gm	292	93.3	10-12 visits	123	39	UIIKIIOWII		U	U
Unknown	2 <i>9</i> 2	0.0	13+ visits	142	45				
Unknown	U	0.0	Unknown	142	45 <.5				
	Total B	irths	Low Birth Weight (under 2.500 gm)	1st Tr			st Prenatal imester		/Unknown
Race of Mother	Total B		(under 2,500 gm)		imester	2nd Tr	imester	Other	Unknown Percent
	Births P	ercent	(under 2,500 gm) Births Percent	Births	imester Percent	2nd Tr Births	imester Percent	Other	Percent
White	Births P	ercent 98	(under 2,500 gm) Births Percent 21 6.8		imester	2nd Tr	imester	Other	-
Race of Mother White Black	Births P 307 1	98 <.5	(under 2,500 gm) Births Percent 21 6.8	Births 270 *	imester Percent 88	2nd Tr Births 30	imester Percent 10	Other	Percent
White Black Other	Births P 307 1 5	98 <.5 2	(under 2,500 gm) Births Percent 21 6.8	Births 270 * 4	imester Percent 88 . 80	2nd Tr Births 30 *	imester Percent 10 . 20	Other	Percent
White Black Other	Births P 307 1	98 <.5	(under 2,500 gm) Births Percent 21 6.8	Births 270 *	imester Percent 88	2nd Tr Births 30	imester Percent 10	Other	Percent
White Black Other	Births P 307 1 5	98 <.5 2	(under 2,500 gm) Births Percent 21 6.8 *	Births 270 * 4	imester Percent 88 . 80	2nd Tr Births 30 * 1	imester Percent 10 . 20	Other, Births 7 * .	Percent
White Black Other	Births P 307 1 5 0	98 <.5 2 0	(under 2,500 gm) Births Percent 21 6.8 *	Births 270 * 4	imester Percent 88 . 80 . Trimest	2nd Tr Births 30 * 1	imester Percent 10 . 20 . st Prenatal	Other, Births 7 *	Percent 2
White Black Other Unknown	Births P 307 1 5 0	98 <.5 2	(under 2,500 gm) Births Percent 21 6.8 *	Births 270 * 4	imester Percent 88 . 80	2nd Tr Births 30 * 1 . er of Fir 2nd Tr	imester Percent 10 . 20 . st Prenatalimester	Other/Births 7 *	Percent 2
White Black Other Unknown Age of Mother	Births P 307 1 5 0	ercent 98 <.5 2 0 ertility	(under 2,500 gm) Births Percent 21 6.8 *	Births 270 * 4 . 1st Tr Births	imester Percent 88 . 80 . Trimest	2nd Tr Births 30 * 1 . er of Fir 2nd Tr	imester Percent 10 . 20 . st Prenatalimester Percent	Other/Births 7 *	Percent 2
White Black Other Unknown	Births P 307 1 5 0	98 <.5 2 0 ertility Rate	(under 2,500 gm) Births Percent 21 6.8 *	Births 270 * 4	imester Percent 88 80 Trimest imester Percent	2nd Tr Births 30 * 1 . er of Fir 2nd Tr	imester Percent 10 . 20 . st Prenatalimester	Other/Births 7 *	Percent 2
White Black Other Unknown Age of Mother <15 15-17	Births P 307 1 5 0 Fe Births	98 <.5 2 0 ertility Rate	(under 2,500 gm) Births Percent 21 6.8 *	Births 270 * 4 . 1st Tr Births	imester Percent 88 . 80 . Trimest imester Percent .	2nd Tr Births 30 * 1 . er of Fir 2nd Tr Births	imester Percent 10 . 20 . st Prenatalimester Percent .	Other/Births 7 *	Percent 2
White Black Other Unknown Age of Mother <15 15-17 18-19	Births P 307 1 5 0 Fe Births 7 19	ercent 98 <.5 2 0 ertility Rate	(under 2,500 gm) Births Percent 21 6.8 * Low Birth Weight (under 2,500 gm) Births Percent	Births	imester Percent 88 . 80 . Trimest imester Percent . 43 68	2nd Tr Births 30 * 1 . er of Fir 2nd Tr Births . 4 6	imester Percent 10 . 20 . st Prenatalimester Percent . 57 32	Other/Births 7 *	Percent 2
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births P 307 1 5 0 Fe Births 0 7 19 73	######################################	(under 2,500 gm) Births Percent 21 6.8 * Low Birth Weight (under 2,500 gm) Births Percent 1 5.3 7 9.6	Births	imester Percent 88 80 Trimest imester Percent 43 68 85	2nd Tr Births 30 * 1 . er of Fir 2nd Tr Births . 4 6 8	imester Percent 10 . 20 . st Prenatalimester Percent . 57 32 11	Other/Births 7 *	Percent 2
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Births P 307 1 5 0 Fe Births 0 7 19 73 98	rtility Rate	(under 2,500 gm) Births Percent 21 6.8 * Low Birth Weight (under 2,500 gm) Births Percent 1 5.3 7 9.6 7 7.1	Births	imester Percent 88 80 Trimest imester Percent 43 68 85 92	2nd Tr Births 30 * 1 . er of Fir 2nd Tr Births . 4 6 8 6	imester Percent 10 . 20 . st Prenatalimester Percent . 57 32 11 6	Other/Births 7 *	Percent 2
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births P 307 1 5 0 Fe Births 0 7 19 73 98 73	rtility Rate	(under 2,500 gm) Births Percent 21 6.8 *	# 270 * 4 	imester Percent 88 80 Trimest imester Percent 43 68 85 92 92	2nd Tr Births 30 * 1 . er of Fir 2nd Tr Births . 4 6 8	imester Percent 10 . 20 . st Prenatalimester Percent . 57 32 11 6 8	Other/Births 7 * Visit Other/Births 3 2	Percent 2
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births P 307 1 5 0 Fe Births 7 19 73 98 73 38	98 <.5 2 0 ertility Rate	(under 2,500 gm) Births Percent 21 6.8 *	# 270 * 4 	imester Percent 88 80 Trimest imester Percent 43 68 85 92 92 95	2nd Tr Births 30 * 1 . er of Fir 2nd Tr Births . 4 6 8 6	imester Percent 10 . 20 . st Prenatalimester Percent . 57 32 11 6	Other/Births 7 * Visit Other/Births	Percent 2
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births P 307 1 5 0 Fe Births 0 7 19 73 98 73	rtility Rate	(under 2,500 gm) Births Percent 21 6.8 *	# 270 * 4 	imester Percent 88 80 Trimest imester Percent 43 68 85 92 92	2nd Tr Births 30 * 1 . er of Fir 2nd Tr Births . 4 6 8 6	imester Percent 10 . 20 . st Prenatalimester Percent . 57 32 11 6 8	Other/Births 7 * Visit Other/Births 3 2	Percent 2

REPORTED*	CASES	OF	SELECTED	DISEASES

	Disease	Number
	Campylobacter Enteritis	<5
	Giardiasis	5
	Hepatitis Type A	<5
	Hepatitis Type B**	0
	Hepatitis NANB/C***	
	Legionnaire's	0
	Lyme_	5
	Measles	0
	Meningitis, Aseptic	<5
	Meningitis, Bacterial	<5
	Mumps	0
	Pertussis	0
	Salmonellosis	5
	Shigellosis	0
	Tuberculosis	0
	1999 provisional data	
	Includes all positive HBsAq	
	test results	
*		ina
	onavariable at time of print.	9

Sexually Transmitted Disease

Chlamydia Trachomatis	14
Genital Herpes	14
Gonorrhea	
Nongonococcal Cervicitis	•
Nongonococcal Urethritis	0
Syphilis	0

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	6,252
Non-compliant	112
Percent Compliant	98.2

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS 422 Crude Death Rate 1,204

Age	Deaths	Rate
1-4	•	•
5-14	1	
15-19	1	
20-34	5	•
35-54	25	235
55-64	38	843
65-74	90	2,487
75-84	133	6,009
85+	127	15,852

Infant

Mortality	Deaths	Rate
Total Infant	2	•
Neonatal	•	
Postneonatal	2	
Unknown		

Race of Mother

White	2	
Black	•	
Other		
Unknown	•	

Birth Weight

<1,500 gm	•	
1,500-2,499 gm	1	
2,500+ gm	1	
Unknown	•	

Perinatal

Mortality	Deaths	Rate
Total Perinatal	3	
Neonatal		
Fetal	3	

Selected

Underlying Cause	Deaths	Rate
Heart Disease (total)	159	454
Ischemic heart disease		
Cancer (total)	89	254
Trachea/Bronchus/Lung		
Colorectal	13	
Female Breast	6	. *
Cerebrovascular Disease	23	66
Lower Resp. Disease		
Pneumonia & Influenza	5	•
Injuries	19	
Motor vehicle	8	
Diabetes	11	
Infectious & Parasitic	6	
Suicide	4	

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	9	
Other Drugs	4	
Both Mentioned		

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	394	4
Alcohol-Related	37	3
With Citation:		
For OWI	77	0
For Speeding	11	0
Motorcyclist	20	0
Bicyclist	8	0
Pedestrian	5	0

------ HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related	l: All					Alcohol-Relate	ed.				
Total	319	9.1	4.2	\$10,496	\$96	Total	169	4.8	4.4	\$4,288	\$21
<18	24	3.2	2.7	\$6,484	\$21	18-44	109	9.6	4.5	\$4,008	\$38
18-44	68	6.0	3.8	\$11,901	\$71	45-64	49	5.1	3.8	\$4,296	\$22
45-64	73	7.6		\$11,292	\$86	Pneumonia and		3.1	3.0	Ų1,200	722
65+	154	23.2	4.3	\$10,124	\$235	Total	208	5.9	4.9	\$8,183	\$49
Injury: Hip		23.2	1.5	Q10,124	Ψ 233	<18	17		4.0	φυ,105	ŲΨϽ
Total	40	1.1	4.7	\$13,464	\$15	45-64	37	3.8	4.5	\$7,323	\$28
65+	37	5.6		\$13,767	\$77	65+	137	20.7	5.3	\$7,525	\$0
Injury: Pois		5.0	4.0	ŞI3,707	Ş / /	Cerebrovascula		20.7	5.5	50	ŞÜ
Total	18					Total	151	4.3	4.1	\$9,342	\$40
18-44	8	•	•	•	•	10ca1 45-64	28	2.9	5.1	\$13,732	\$40
10-44	0	•	•	•	•	65+	119	17.9	3.9	\$8,318	\$40 \$149
Darrahi atmi a						Chronic Obstru				\$0,310	\$149
Psychiatric	0.61	7 1	7 0	åE	A 4.1	!		-		åc 700	400
Total	261	7.4	7.0	\$5,532	\$41	Total	150	4.3	3.8	\$6,793	\$29
<18	49	6.6	9.5	\$6,453	\$43	<18	16	•	•	•	•
18-44	146	12.9	6.0	\$4,754	\$61	18-44	7	•	•		
45-64	40	4.2	7.1	\$6,126	\$25	45-64	29	3.0	3.1	\$5,658	\$17
65+	26	3.9	7.8	\$7,250	\$28	65+	98	14.8	4.3	\$7,690	\$114
	_					Drug-Related					
Coronary Heart						Total	17	•	•	•	•
Total	401	11.4	3.2	\$15,765	\$180	18-44	9	•	•	•	•
45-64	159	16.5		\$17,153	\$283						
65+	221	33.3	3.5	\$15,096	\$503	Total Hospital	lizations				
						Total	5,027	143.4	3.9	\$8,485	
Malignant Neop	lasms (Ca	ncers)	: All			<18	586	78.9	2.9	\$3,996	\$315
Total	184	5.3	6.3	\$15,900	\$83	18-44	1,151	101.3	3.3	\$6,303	\$639
18-44	11			•		45-64	1,098	114.1	4.0	\$10,412	\$1,188
45-64	61	6.3	5.3	\$15,324	\$97	65+	2,192	330.4	4.4	\$9,864	\$3,259
65+	112	16.9	6.7	\$15,105	\$255						
Neoplasms: Female Breast (rates for female population)						PREVENTABLE HOSPITALIZATIONS*					
Total	12		•		•	Total	756	21.6	4.0	\$7,078	\$153
Neoplasms: C	olo-recta!	1				<18	70	9.4	1.8	\$2,986	\$28
Total	35	1.0	8.5	\$18,927	\$19	18-44	69	6.1	3.5	\$6,905	\$42
65+	29	4.4		\$18,561	\$81	45-64	151	15.7	3.8	\$7,304	\$115
Neoplasms: I	ung			• •	•	65+	466	70.2	4.5	\$7,645	\$537
Total	16				•	* Hospitalization	ns for cond	itions	where t	imely and	effectiv
Diabetes						The definition of					
Total	50	1.4	4.4	\$9,251	\$13	is consistent with the 1997 definition.					
65+	21	3.2	4.4	\$7,414	\$23	Please refer to t				this page	e in the
		3.2		7.,222	., 25	1997 report for 1996 and 1997.					